


双节距输送链链轮

Double pitch conveyor chain sprocket



新球链号 Newball chain No.	节距 Pitch	滚子直径 Roller diameter	齿数 Number of teeth	系数 coefficient	齿宽 Tooth width	排距 Transverse pitch	分度圆 Pitch circle	齿根圆 Root circle	齿顶圆 Tip circle	内孔直径 Diameter of bore	总厚度 Aggregate thickness
	P	d1	Z	K	bf1	Pt	d	df	da	D	L
尺寸单位mm											
C208B	25.4	8.51	6	2.0000	7.1	13.92	50.80	42.29	57	根据客户要求	根据客户要求
	25.4	8.51	7	2.3048			58.54	50.03	65		
	25.4	8.51	8	2.6131			66.37	57.86	73		
	25.4	8.51	9	2.9238			74.26	65.75	81		
	25.4	8.51	10	3.2361			82.20	73.69	89		
	25.4	8.51	11	3.5494			90.15	81.64	97		
	25.4	8.51	12	3.8637			98.14	89.63	105		
	25.4	8.51	13	4.1786			106.14	97.63	113		
	25.4	8.51	14	4.4940			114.15	105.64	121		
	25.4	8.51	15	4.8097			122.17	113.66	129		
	25.4	8.51	16	5.1258			130.20	121.69	137		
	25.4	8.51	17	5.4422			138.23	129.72	145		
	25.4	8.51	18	5.7588			146.27	137.76	153		
	25.4	8.51	19	6.0755			154.32	145.81	161		
	25.4	8.51	20	6.3925			162.37	153.86	169		
	25.4	8.51	21	6.7095			170.42	161.91	177		
	25.4	8.51	22	7.0266			178.48	169.97	185		
	25.4	8.51	23	7.3439			186.54	178.03	193		
	25.4	8.51	24	7.6613			194.60	186.09	201		
	25.4	8.51	25	7.9787			202.66	194.15	209		

只列举到25齿，齿数可根据客户要求定做

PRODUCT INTRODUCTION

产品介绍

新球链号 Newball chain No.	节距 Pitch	滚子直径 Roller diameter	齿数 Number of teeth	系数 coefficient	齿宽 Tooth width	排距 Transverse pitch	分度圆 Pitch circle	齿根圆 Root circle	齿顶圆 Tip circle	内孔直径 Diameter of bore	总厚度 Aggregate thickness
	P	d1	Z	K	bf1	Pt	d	df	da	D	L
尺寸单位mm											
C208BL	25.4	15.88	6	2.0000	7.1	13.92	50.80	34.92	63	根据客户要求	根据客户要求
	25.4	15.88	7	2.3048			58.54	42.66	70		
	25.4	15.88	8	2.6131			66.37	50.49	78		
	25.4	15.88	9	2.9238			74.26	58.38	86		
	25.4	15.88	10	3.2361			82.20	66.32	94		
	25.4	15.88	11	3.5494			90.15	74.27	102		
	25.4	15.88	12	3.8637			98.14	82.26	110		
	25.4	15.88	13	4.1786			106.14	90.26	118		
	25.4	15.88	14	4.4940			114.15	98.27	126		
	25.4	15.88	15	4.8097			122.17	106.29	134		
	25.4	15.88	16	5.1258			130.20	114.32	142		
	25.4	15.88	17	5.4422			138.23	122.35	150		
	25.4	15.88	18	5.7588			146.27	130.39	158		
	25.4	15.88	19	6.0755			154.32	138.44	166		
	25.4	15.88	20	6.3925			162.37	146.49	174		
	25.4	15.88	21	6.7095			170.42	154.54	182		
	25.4	15.88	22	7.0266			178.48	162.60	190		
	25.4	15.88	23	7.3439			186.54	170.66	198		
	25.4	15.88	24	7.6613			194.60	178.72	207		
	25.4	15.88	25	7.9787			202.66	186.78	215		
只列举到25齿，齿数可根据客户要求定做											
C208A (C2040)	25.4	7.95	6	2.0000	7.2	14.38	50.80	42.85	57	根据客户要求	根据客户要求
	25.4	7.95	7	2.3048			58.54	50.59	65		
	25.4	7.95	8	2.6131			66.37	58.42	72		
	25.4	7.95	9	2.9238			74.26	66.31	80		
	25.4	7.95	10	3.2361			82.20	74.25	88		
	25.4	7.95	11	3.5494			90.15	82.20	96		
	25.4	7.95	12	3.8637			98.14	90.19	104		
	25.4	7.95	13	4.1786			106.14	98.19	112		
	25.4	7.95	14	4.4940			114.15	106.20	120		
	25.4	7.95	15	4.8097			122.17	114.22	128		
	25.4	7.95	16	5.1258			130.20	122.25	136		
	25.4	7.95	17	5.4422			138.23	130.28	144		
	25.4	7.95	18	5.7588			146.27	138.32	152		
	25.4	7.95	19	6.0755			154.32	146.37	160		
	25.4	7.95	20	6.3925			162.37	154.42	168		
	25.4	7.95	21	6.7095			170.42	162.47	176		
	25.4	7.95	22	7.0266			178.48	170.53	184		
	25.4	7.95	23	7.3439			186.54	178.59	192		
	25.4	7.95	24	7.6613			194.60	186.65	201		
	25.4	7.95	25	7.9787			202.66	194.71	209		
只列举到25齿，齿数可根据客户要求定做											

新球链号 Newball chain No.	节距 Pitch	滚子直径 Roller diameter	齿数 Number of teeth	系数 coefficient	齿宽 Tooth width	排距 Transverse pitch	分度圆 Pitch circle	齿根圆 Root circle	齿顶圆 Tip circle	内孔直径 Diameter of bore	总厚度 Aggregate thickness
	P	d1	Z	K	bf1	Pt	d	df	da	D	L
尺寸单位mm											
C208AL (C2042)	25.4	15.88	6	2.0000	7.2	14.38	50.80	34.92	63	根据客户要求	根据客户要求
	25.4	15.88	7	2.3048			58.54	42.66	70		
	25.4	15.88	8	2.6131			66.37	50.49	78		
	25.4	15.88	9	2.9238			74.26	58.38	86		
	25.4	15.88	10	3.2361			82.20	66.32	94		
	25.4	15.88	11	3.5494			90.15	74.27	102		
	25.4	15.88	12	3.8637			98.14	82.26	110		
	25.4	15.88	13	4.1786			106.14	90.26	118		
	25.4	15.88	14	4.4940			114.15	98.27	126		
	25.4	15.88	15	4.8097			122.17	106.29	134		
	25.4	15.88	16	5.1258			130.20	114.32	142		
	25.4	15.88	17	5.4422			138.23	122.35	150		
	25.4	15.88	18	5.7588			146.27	130.39	158		
	25.4	15.88	19	6.0755			154.32	138.44	166		
	25.4	15.88	20	6.3925			162.37	146.49	174		
	25.4	15.88	21	6.7095			170.42	154.54	182		
	25.4	15.88	22	7.0266			178.48	162.60	190		
	25.4	15.88	23	7.3439			186.54	170.66	198		
	25.4	15.88	24	7.6613			194.60	178.72	207		
	25.4	15.88	25	7.9787			202.66	186.78	215		
只列举到25齿，齿数可根据客户要求定做											
C210A (C2050)	31.75	10.16	6	2.0000	8.6	18.11	63.50	53.34	71	根据客户要求	根据客户要求
	31.75	10.16	7	2.3048			73.18	63.02	81		
	31.75	10.16	8	2.6131			82.97	72.81	91		
	31.75	10.16	9	2.9238			92.83	82.67	100		
	31.75	10.16	10	3.2361			102.75	92.59	110		
	31.75	10.16	11	3.5494			112.69	102.53	120		
	31.75	10.16	12	3.8637			122.67	112.51	130		
	31.75	10.16	13	4.1786			132.67	122.51	140		
	31.75	10.16	14	4.4940			142.68	132.52	150		
	31.75	10.16	15	4.8097			152.71	142.55	160		
	31.75	10.16	16	5.1258			162.74	152.58	170		
	31.75	10.16	17	5.4422			172.79	162.63	180		
	31.75	10.16	18	5.7588			182.84	172.68	190		
	31.75	10.16	19	6.0755			192.90	182.74	201		
	31.75	10.16	20	6.3925			202.96	192.80	211		
	31.75	10.16	21	6.7095			213.03	202.87	221		
	31.75	10.16	22	7.0266			223.09	212.93	231		
	31.75	10.16	23	7.3439			233.17	223.01	241		
	31.75	10.16	24	7.6613			243.25	233.09	251		
	31.75	10.16	25	7.9787			253.32	243.16	261		
只列举到25齿，齿数可根据客户要求定做											

PRODUCT INTRODUCTION

产品介绍

新球链号 Newball chain No.	节距 Pitch	滚子直径 Roller diameter	齿数 Number of teeth	系数 coefficient	齿宽 Tooth width	排距 Transverse pitch	分度圆 Pitch circle	齿根圆 Root circle	齿顶圆 Tip circle	内孔直径 Diameter of bore	总厚度 Aggregate thickness
	P	d1	Z	K	bf1	Pt	d	df	da	D	L
尺寸单位mm											
C210AL (C2052)	31.75	19.05	6	2.0000	8.6	18.11	63.50	44.45	78	根据客户要求	根据客户要求
	31.75	19.05	7	2.3048			73.18	54.13	87		
	31.75	19.05	8	2.6131			82.97	63.92	97		
	31.75	19.05	9	2.9238			92.83	73.78	107		
	31.75	19.05	10	3.2361			102.75	83.70	117		
	31.75	19.05	11	3.5494			112.69	93.64	127		
	31.75	19.05	12	3.8637			122.67	103.62	137		
	31.75	19.05	13	4.1786			132.67	113.62	147		
	31.75	19.05	14	4.4940			142.68	123.63	157		
	31.75	19.05	15	4.8097			152.71	133.66	167		
	31.75	19.05	16	5.1258			162.74	143.69	177		
	31.75	19.05	17	5.4422			172.79	153.74	187		
	31.75	19.05	18	5.7588			182.84	163.79	197		
	31.75	19.05	19	6.0755			192.90	173.85	207		
	31.75	19.05	20	6.3925			202.96	183.91	217		
	31.75	19.05	21	6.7095			213.03	193.98	227		
	31.75	19.05	22	7.0266			223.09	204.04	237		
	31.75	19.05	23	7.3439			233.17	214.12	247		
	31.75	19.05	24	7.6613			243.25	224.20	258		
	31.75	19.05	25	7.9787			253.32	234.27	268		
只列举到25齿，齿数可根据客户要求定做											
C212A (C2060)	38.1	11.91	6	2.0000	11.6	22.78	76.20	64.29	85	根据客户要求	根据客户要求
	38.1	11.91	7	2.3048			87.81	75.90	97		
	38.1	11.91	8	2.6131			99.56	87.65	108		
	38.1	11.91	9	2.9238			111.40	99.49	120		
	38.1	11.91	10	3.2361			123.30	111.39	132		
	38.1	11.91	11	3.5494			135.23	123.32	144		
	38.1	11.91	12	3.8637			147.21	135.30	156		
	38.1	11.91	13	4.1786			159.20	147.29	168		
	38.1	11.91	14	4.4940			171.22	159.31	180		
	38.1	11.91	15	4.8097			183.25	171.34	192		
	38.1	11.91	16	5.1258			195.29	183.38	204		
	38.1	11.91	17	5.4422			207.35	195.44	216		
	38.1	11.91	18	5.7588			219.41	207.50	228		
	38.1	11.91	19	6.0755			231.48	219.57	240		
	38.1	11.91	20	6.3925			243.55	231.64	252		
	38.1	11.91	21	6.7095			255.63	243.72	265		
	38.1	11.91	22	7.0266			267.71	255.80	277		
	38.1	11.91	23	7.3439			279.80	267.89	289		
	38.1	11.91	24	7.6613			291.90	279.99	301		
	38.1	11.91	25	7.9787			303.99	292.08	313		
只列举到25齿，齿数可根据客户要求定做											

新球链号 Newball chain No.	节距 Pitch	滚子直径 Roller diameter	齿数 Number of teeth	系数 coefficient	齿宽 Tooth width	排距 Transverse pitch	分度圆 Pitch circle	齿根圆 Root circle	齿顶圆 Tip circle	内孔直径 Diameter of bore	总厚度 Aggregate thickness
	P	d1	Z	K	bf1	Pt	d	df	da	D	L
尺寸单位mm											
C212AL (C2062)	38.1	22.23	6	2.0000	11.6	22.78	76.20	53.97	93	根据客户要求	根据客户要求
	38.1	22.23	7	2.3048			87.81	65.58	104		
	38.1	22.23	8	2.6131			99.56	77.33	116		
	38.1	22.23	9	2.9238			111.40	89.17	128		
	38.1	22.23	10	3.2361			123.30	101.07	140		
	38.1	22.23	11	3.5494			135.23	113.00	152		
	38.1	22.23	12	3.8637			147.21	124.98	164		
	38.1	22.23	13	4.1786			159.20	136.97	176		
	38.1	22.23	14	4.4940			171.22	148.99	188		
	38.1	22.23	15	4.8097			183.25	161.02	200		
	38.1	22.23	16	5.1258			195.29	173.06	212		
	38.1	22.23	17	5.4422			207.35	185.12	224		
	38.1	22.23	18	5.7588			219.41	197.18	236		
	38.1	22.23	19	6.0755			231.48	209.25	248		
	38.1	22.23	20	6.3925			243.55	221.32	260		
	38.1	22.23	21	6.7095			255.63	233.40	272		
	38.1	22.23	22	7.0266			267.71	245.48	284		
	38.1	22.23	23	7.3439			279.80	257.57	296		
	38.1	22.23	24	7.6613			291.90	269.67	309		
	38.1	22.23	25	7.9787			303.99	281.76	321		
只列举到25齿，齿数可根据客户要求定做											
C216A (C2080)	50.8	15.88	6	2.0000	14.5	29.29	101.60	85.72	114	根据客户要求	根据客户要求
	50.8	15.88	7	2.3048			117.08	101.20	129		
	50.8	15.88	8	2.6131			132.75	116.87	145		
	50.8	15.88	9	2.9238			148.53	132.65	160		
	50.8	15.88	10	3.2361			164.39	148.51	176		
	50.8	15.88	11	3.5494			180.31	164.43	192		
	50.8	15.88	12	3.8637			196.28	180.40	208		
	50.8	15.88	13	4.1786			212.27	196.39	224		
	50.8	15.88	14	4.4940			228.30	212.42	240		
	50.8	15.88	15	4.8097			244.33	228.45	256		
	50.8	15.88	16	5.1258			260.39	244.51	272		
	50.8	15.88	17	5.4422			276.46	260.58	288		
	50.8	15.88	18	5.7588			292.55	276.67	304		
	50.8	15.88	19	6.0755			308.64	292.76	321		
	50.8	15.88	20	6.3925			324.74	308.86	337		
	50.8	15.88	21	6.7095			340.84	324.96	353		
	50.8	15.88	22	7.0266			356.95	341.07	369		
	50.8	15.88	23	7.3439			373.07	357.19	385		
	50.8	15.88	24	7.6613			389.19	373.31	401		
	50.8	15.88	25	7.9787			405.32	389.44	417		
只列举到25齿，齿数可根据客户要求定做											

PRODUCT INTRODUCTION

产品介绍

新球链号 Newball chain No.	节距 Pitch	滚子直径 Roller diameter	齿数 Number of teeth	系数 coefficient	齿宽 Tooth width	排距 Transverse pitch	分度圆 Pitch circle	齿根圆 Root circle	齿顶圆 Tip circle	内孔直径 Diameter of bore	总厚度 Aggregate thickness
	P	d1	Z	K	bf1	Pt	d	df	da	D	L
尺寸单位mm											
C216AL (C2082)	50.8	28.58	6	2.0000	14.5	29.29	101.60	73.02	123	根据客户要求	根据客户要求
	50.8	28.58	7	2.3048			117.08	88.50	139		
	50.8	28.58	8	2.6131			132.75	104.17	154		
	50.8	28.58	9	2.9238			148.53	119.95	170		
	50.8	28.58	10	3.2361			164.39	135.81	186		
	50.8	28.58	11	3.5494			180.31	151.73	202		
	50.8	28.58	12	3.8637			196.28	167.70	218		
	50.8	28.58	13	4.1786			212.27	183.69	234		
	50.8	28.58	14	4.4940			228.30	199.72	250		
	50.8	28.58	15	4.8097			244.33	215.75	266		
	50.8	28.58	16	5.1258			260.39	231.81	282		
	50.8	28.58	17	5.4422			276.46	247.88	298		
	50.8	28.58	18	5.7588			292.55	263.97	314		
	50.8	28.58	19	6.0755			308.64	280.06	330		
	50.8	28.58	20	6.3925			324.74	296.16	346		
	50.8	28.58	21	6.7095			340.84	312.26	362		
	50.8	28.58	22	7.0266			356.95	328.37	378		
	50.8	28.58	23	7.3439			373.07	344.49	395		
	50.8	28.58	24	7.6613			389.19	360.61	411		
	50.8	28.58	25	7.9787			405.32	376.74	427		
只列举到25齿，齿数可根据客户要求定做											
C220A (C2100)	63.5	19.05	6	2.0000	17.5	35.76	127.00	107.95	141	根据客户要求	根据客户要求
	63.5	19.05	7	2.3048			146.35	127.30	161		
	63.5	19.05	8	2.6131			165.93	146.88	180		
	63.5	19.05	9	2.9238			185.66	166.61	200		
	63.5	19.05	10	3.2361			205.49	186.44	220		
	63.5	19.05	11	3.5494			225.39	206.34	240		
	63.5	19.05	12	3.8637			245.34	226.29	260		
	63.5	19.05	13	4.1786			265.34	246.29	280		
	63.5	19.05	14	4.4940			285.37	266.32	300		
	63.5	19.05	15	4.8097			305.42	286.37	320		
	63.5	19.05	16	5.1258			325.49	306.44	340		
	63.5	19.05	17	5.4422			345.58	326.53	360		
	63.5	19.05	18	5.7588			365.68	346.63	380		
	63.5	19.05	19	6.0755			385.79	366.74	400		
	63.5	19.05	20	6.3925			405.92	386.87	420		
	63.5	19.05	21	6.7095			426.05	407.00	440		
	63.5	19.05	22	7.0266			446.19	427.14	460		
	63.5	19.05	23	7.3439			466.34	447.29	481		
	63.5	19.05	24	7.6613			486.49	467.44	501		
	63.5	19.05	25	7.9787			506.65	487.60	521		
只列举到25齿，齿数可根据客户要求定做											

新球链号 Newball chain No.	节距 Pitch	滚子直径 Roller diameter	齿数 Number of teeth	系数 coefficient	齿宽 Tooth width	排距 Transverse pitch	分度圆 Pitch circle	齿根圆 Root circle	齿顶圆 Tip circle	内孔直径 Diameter of bore	总厚度 Aggregate thickness
	P	d1	Z	K	bf1	Pt	d	df	da	D	L
尺寸单位mm											
C220AL (C2102)	63.5	39.68	6	2.0000	17.5	35.76	127.00	87.32	157	根据 客户 要求	根据 客户 要求
	63.5	39.68	7	2.3048			146.35	106.67	176		
	63.5	39.68	8	2.6131			165.93	126.25	196		
	63.5	39.68	9	2.9238			185.66	145.98	215		
	63.5	39.68	10	3.2361			205.49	165.81	235		
	63.5	39.68	11	3.5494			225.39	185.71	255		
	63.5	39.68	12	3.8637			245.34	205.66	275		
	63.5	39.68	13	4.1786			265.34	225.66	295		
	63.5	39.68	14	4.4940			285.37	245.69	315		
	63.5	39.68	15	4.8097			305.42	265.74	335		
	63.5	39.68	16	5.1258			325.49	285.81	355		
	63.5	39.68	17	5.4422			345.58	305.90	375		
	63.5	39.68	18	5.7588			365.68	326.00	395		
	63.5	39.68	19	6.0755			385.79	346.11	416		
	63.5	39.68	20	6.3925			405.92	366.24	436		
	63.5	39.68	21	6.7095			426.05	386.37	456		
	63.5	39.68	22	7.0266			446.19	406.51	476		
	63.5	39.68	23	7.3439			466.34	426.66	496		
	63.5	39.68	24	7.6613			486.49	446.81	516		
	63.5	39.68	25	7.9787			506.65	466.97	536		
只列举到25齿，齿数可根据客户要求定做											
C224A (C2120)	76.2	22.23	6	2.0000	23.6	45.44	152.40	130.17	169	根据 客户 要求	根据 客户 要求
	76.2	22.23	7	2.3048			175.63	153.40	192		
	76.2	22.23	8	2.6131			199.12	176.89	216		
	76.2	22.23	9	2.9238			222.79	200.56	239		
	76.2	22.23	10	3.2361			246.59	224.36	263		
	76.2	22.23	11	3.5494			270.46	248.23	287		
	76.2	22.23	12	3.8637			294.41	272.18	311		
	76.2	22.23	13	4.1786			318.41	296.18	335		
	76.2	22.23	14	4.4940			342.44	320.21	359		
	76.2	22.23	15	4.8097			366.50	344.27	383		
	76.2	22.23	16	5.1258			390.59	368.36	407		
	76.2	22.23	17	5.4422			414.70	392.47	431		
	76.2	22.23	18	5.7588			438.82	416.59	455		
	76.2	22.23	19	6.0755			462.95	440.72	480		
	76.2	22.23	20	6.3925			487.11	464.88	504		
	76.2	22.23	21	6.7095			511.26	489.03	528		
	76.2	22.23	22	7.0266			535.43	513.20	552		
	76.2	22.23	23	7.3439			559.61	537.38	576		
	76.2	22.23	24	7.6613			583.79	561.56	600		
	76.2	22.23	25	7.9787			607.98	585.75	625		
只列举到25齿，齿数可根据客户要求定做											

PRODUCT INTRODUCTION

产品介绍

新球链号 Newball chain No.	节距 Pitch	滚子直径 Roller diameter	齿数 Number of teeth	系数 coefficient	齿宽 Tooth width	排距 Transverse pitch	分度圆 Pitch circle	齿根圆 Root circle	齿顶圆 Tip circle	内孔直径 Diameter of bore	总厚度 Aggregate thickness
	P	d1	Z	K	bf1	Pt	d	df	da	D	L
尺寸单位mm											
C224AL (C2122)	76.2	44.45	6	2.0000	23.6	45.44	152.40	107.95	186	根据客户要求	根据客户要求
	76.2	44.45	7	2.3048			175.63	131.18	209		
	76.2	44.45	8	2.6131			199.12	154.67	232		
	76.2	44.45	9	2.9238			222.79	178.34	256		
	76.2	44.45	10	3.2361			246.59	202.14	280		
	76.2	44.45	11	3.5494			270.46	226.01	304		
	76.2	44.45	12	3.8637			294.41	249.96	328		
	76.2	44.45	13	4.1786			318.41	273.96	352		
	76.2	44.45	14	4.4940			342.44	297.99	376		
	76.2	44.45	15	4.8097			366.50	322.05	400		
	76.2	44.45	16	5.1258			390.59	346.14	424		
	76.2	44.45	17	5.4422			414.70	370.25	448		
	76.2	44.45	18	5.7588			438.82	394.37	472		
	76.2	44.45	19	6.0755			462.95	418.50	496		
	76.2	44.45	20	6.3925			487.11	442.66	520		
	76.2	44.45	21	6.7095			511.26	466.81	545		
	76.2	44.45	22	7.0266			535.43	490.98	569		
	76.2	44.45	23	7.3439			559.61	515.16	593		
	76.2	44.45	24	7.6613			583.79	539.34	617		
	76.2	44.45	25	7.9787			607.98	563.53	641		

只列举到25齿，齿数可根据客户要求定做